




Components	Pcs	Material
1 Body	1	UNI EN 12165 CW617N
2 End sleeve	1	UNI EN 12165 CW617N
3 Ball	1	UNI EN 12165 CW617N UNI EN 12164 CW617N
4 Ball seal seats	2	P.T.F.E.
5 Stem	1	UNI EN 12164 CW617N
6 Stem seal O-Ring	2	NBR 70 Sh A (ASTM D 2240)
7 Steel lever handle	1	Steel ZN, plastic-covered
Butterfly	1	AL, painted
Cap	1	UNI EN 12165 CW617N UNI EN 12164 CW617N
8 Nut	1	Zinc-plated Steel
Screw	1	Zinc-plated Steel
9 Anti-friction ring	1	P.T.F.E.

EN GENERAL CHARACTERISTICS

Bore: Full
 Range: From 1/4" to 2"
 Female fitting: Thread UNI EN 10226 (UNI EN ISO 7/1 Rp) (DIN2999)
 Male fitting: Thread UNI EN 10226 (UNI EN ISO 7/1 R) (DIN2999)
 Tang and nut: Thread UNI EN ISO 228/1 (DIN 259)
 Functioning: 90° degrees rotation of operating device.
 Operating device: Plastified steel Lever handle, aluminium Butterfly, Cap.

OPERATING CONDITIONS

Operating temperature: from -20 °C to +60 °C
 Operating pressure: MOP 5 Classe B0,1


Valves must be used in fully open or fully closed position.

These valves are suitable for use with the three classes of gases (methane, gas mains, GPL), for low and medium pressure distribution mains and plants; for special uses (in compliance with the pressures set out for these valves) see chemical compatibility chart in the technical annexes of the applicable catalogue. Items included in the CE marking, as per Art. 4 Paragraph 3 of the Directive 2014/68/EU.

GP 2235
FUTURGAS




Ball valve for gas nickel-plated, Female-Female fitting,
with yellow plastified steel Lever handle.



CODE	Size	A mm	B mm	C mm	D mm	E mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8200R002	1/4"	10	45,6	39,6	52,4	107,3	8	20	154	36	144	7,82
8200R003	3/8"	10	47,2	39,6	52,4	108,2	10	20	158	36	144	6,92
8200R004	1/2"	15	56,7	43,2	58,6	112,9	15	25	195	36	144	9,26
8200R005	3/4"	20	66,9	47	66	118	20	31	297	24	96	13,76
8200R006	1"	25	81,3	57,6	80,4	151	25	38	495	12	48	22,39
8200R007	1"1/4	32	96	63,1	91,6	158,2	32	47	700	8	32	34,12
8200R008	1"1/2	40	104	74,2	108,3	192,4	40	53	1070	4	16	54,32
8200R009	2"	50	127	82,3	124,6	203,9	50	66	1755	4	16	79,95

GP 2235

Ball valve for gas nickel-plated, Male-Female fitting,
with yellow plastified steel Lever handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	G mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8201R002	1/4"	10	51,4	39,6	52,4	113,2	28,6	22,8	8	20	154	36	144	8,28
8201R003	3/8"	10	52,7	39,6	52,4	113,7	29,1	23,6	10	20	158	36	144	7,24
8201R004	1/2"	15	60,4	43,2	58,6	116,6	32,1	28,4	15	25	195	36	144	9,99
8201R005	3/4"	20	70,3	47,0	66,0	121,4	36,8	33,5	20	31	297	24	96	14,39
8201R006	1"	25	83,7	57,6	80,4	153,4	43,2	40,5	25	38	495	12	48	24,64
8201R007	1"1/4	32	98,2	63,1	91,6	160,4	50,2	48,0	32	47	700	8	32	35,53
8201R008	1"1/2	40	110,6	74,2	108,3	199,0	58,6	52,0	40	53	1070	4	16	54,32
8201R009	2"	50	135,1	82,3	124,6	212,0	71,6	63,5	50	66	1755	4	16	86,71

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Male-Male fitting,
with yellow plastified steel Lever handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	G mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8202R004	1/2"	15	60,9	43,2	58,6	116,6	32,1	28,8	15	25	194	36	144	9,18
8202R005	3/4"	20	71,3	47,0	66,0	121,4	36,8	34,5	20	31	288	24	96	14,29
8202R006	1"	25	83,2	57,6	80,4	153,4	43,2	40,0	25	38	467	12	48	23,96

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Female-Female fitting,
with yellow painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8203R002	1/4"	10	45,6	42,3	55,1	60,2	8	20	159	36	144	7,82
8203R003	3/8"	10	47,2	42,3	55,1	60,2	10	20	152	36	144	6,92
8203R004	1/2"	15	56,7	44,8	60,2	60,2	15	25	175	36	144	8,93
8203R005	3/4"	20	66,9	48,6	67,7	60,2	20	31	275	24	96	13,04
8203R006	1"	25	81,3	54,5	77,3	65,0	25	38	470	12	48	21,69
8203R007	1"1/4	32	96,0	60,0	88,5	65,0	32	47	685	8	32	34,12

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Male-Female fitting,
with yellow painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	G mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8204R002	1/4"	10	51,4	42,3	55,1	60,2	28,6	22,8	10	20	159	36	144	8,28
8204R003	3/8"	10	52,7	42,3	55,1	60,2	29,1	23,6	10	20	152	36	144	7,24
8204R004	1/2"	15	60,4	44,8	60,2	60,2	32,0	28,4	15	25	190	36	144	9,36
8204R005	3/4"	20	70,3	48,6	67,7	60,2	36,8	33,5	20	31	285	24	96	13,67
8204R006	1"	25	83,7	54,5	77,3	65,0	43,2	40,5	25	38	495	12	48	22,39
8204R007	1"1/4	32	98,2	60,0	88,5	65,0	50,2	48,0	32	47	710	8	32	35,53

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Male-Male fitting,
with yellow painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	G mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8205R004	1/2"	15	60,9	44,8	60,2	60,2	32,1	28,8	15	25	185	36	144	8,98
8205R005	3/4"	20	71,3	48,6	67,7	60,2	36,8	34,5	20	31	295	24	96	14,29
8205R006	1"	25	83,2	54,5	77,3	65,0	43,2	40,0	25	38	475	12	48	22,64

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Female-Revolving nut fitting, with yellow painted aluminium Butterfly handle.




CODE	Size	A mm	A1	A2	B mm	C mm	D mm	E mm	F mm	G mm	DN mm	Ch1/2 mm	gr	Pack pcs/box	Master pcs/box	Price €
8206R004	1/2"x3/4"	15	1/2"	3/4"	73,0	44,8	60,2	60,2	44,7	28,4	15	32/25	230	30	120	14,30
8206R105	3/4"x3/4"	20	3/4"	3/4"	81,8	48,6	67,7	60,2	48,3	33,5	20	32/31	327	18	72	19,17
8206R005	3/4"x1"	20	3/4"	1"	82,3	48,6	67,7	60,2	48,8	33,5	20	38/31	340	18	72	17,66
8206R006	1"x1"1/4	25	1"	1"1/4	94,0	54,5	77,3	65,0	53,5	40,5	25	47/38	535	12	48	27,93

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Female-Female fitting, with pressure fittings, with yellow painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	G mm	DN mm	Ch1/2 mm	gr	Pack pcs/box	Master pcs/box	Price €
8207R004	1/2"	15	63,9	44,8	60,2	60,2	28,4	35,5	15	25/15	241	30	120	15,92
8207R005	3/4"	20	75,0	48,6	65,1	60,2	33,5	41,5	20	31/15	362	18	72	20,63
8207R006	1"	25	89,8	54,5	77,3	65,0	40,8	49,0	25	38/15	554	12	48	29,80

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Female-Revolving nut fitting, with pressure fittings, with yellow painted aluminium Butterfly handle.




CODE	Size	A	A1 / A2	B mm	C mm	D mm	E mm	F mm	G mm	DN mm	Ch1/2/3 mm	gr	Pack pcs/box	Master pcs/box	Price €
8208R005	3/4" x 1"	20	3/4" / 1"	90,3	48,6	67,7	60,2	48,8	41,5	20	38/31/15	410	18	72	26,83
8208R006	1" x 1"1/4	25	1" / 1"1/4	102,5	54,5	77,3	65	53,5	49,0	25	47/38/15	628	10	40	37,49

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Female-Female fitting, with safety cap and sealable closing.




CODE	Size	A mm	B mm	C mm	D mm	E mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8209R004	1/2"	15	56,7	39,9	55,3	26,0	15	25	209	36	144	11,67
8209R005	3/4"	20	66,9	43,7	62,8	26,0	20	31	311	24	96	17,00
8209R006	1"	25	81,3	53,4	76,2	26,0	25	38	490	12	48	24,44
8209R007	1"1/4	32	96,0	58,9	87,4	26,0	32	47	695	8	32	38,22

GP 2235
FUTURGAS



Ball valve for gas nickel-plated, Male-Female fitting, with safety cap and sealable closing.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	G mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8210R004	1/2"	15	60,4	39,9	55,3	26,0	32,1	28,4	15	25	204	36	144	11,67
8210R005	3/4"	20	70,3	43,7	62,8	26,0	36,8	33,5	20	31	309	24	96	17,00
8210R006	1"	25	83,7	53,4	76,2	26,0	43,2	40,5	25	38	505	12	48	24,44
8210R007	1"1/4	32	98,2	58,9	87,4	26,0	50,2	48,0	32	47	725	8	32	38,22

GP 2235
FUTURGAS



Female-Female ball angle valve for gas, with yellow painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8213R004	1/2" x 1/2"	15	42,7	32,5	77,3	60,2	29,5	15	25	196	36	144	12,52
8213R005	3/4" x 3/4"	20	50,9	38,0	86,6	60,2	34,5	20	31	307	24	96	18,11
8213R006	1" x 1"	25	61,7	45,0	99,5	65,0	41,5	25	38	505	12	48	28,00

GP 2235
FUTURGAS



Female-Male ball angle valve for gas, with yellow-painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8214R004	1/2" x 1/2"	15	50,5	32,5	77,3	60,2	37,3	15	25	208	36	144	12,44
8214R005	3/4" x 3/4"	20	57,2	38,0	85,5	60,2	40,8	20	31	319	24	96	18,11
8214R006	1" x 1"	25	68,1	45,0	99,5	65,0	47,9	25	38	535	12	48	28,37

GP 2235
FUTURGAS



Male-Female ball angle valve for gas,
with yellow-painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8215R004	1/2" x 1/2"	15	42,7	35,0	79,8	60,2	29,5	15	25	198	36	144	12,35
8215R005	3/4" x 3/4"	20	50,9	41,4	90,0	60,2	34,5	20	31	309	24	96	16,04
8215R006	1" x 1"	25	61,7	47,5	102,0	65,0	41,5	25	38	513	12	48	26,10

GP 2235
FUTURGAS



Male-Male ball angle valve for gas,
with yellow-painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	DN mm	Ch mm	gr	Pack pcs/box	Master pcs/box	Price €
8216R004	1/2" x 1/2"	15	50,5	35,0	79,8	60,2	37,3	15	25	210	36	144	12,48
8216R005	3/4" x 3/4"	20	57,2	41,4	90,0	60,2	40,8	20	31	321	24	96	18,11
8216R006	1" x 1"	25	68,1	47,5	102,0	65,0	47,9	25	38	543	12	48	26,62

GP 2235
FUTURGAS



Female-Revolving nut ball angle valve for gas,
with yellow-painted aluminium Butterfly handle.




CODE	Size	A mm	A1	A2	B mm	C mm	D mm	E mm	F mm	DN mm	Ch1 mm	Ch2 mm	gr	Pack pcs/box	Master pcs/box	Price €
8217R004	1/2" Fx 3/4" D	15	1/2"	3/4"	61,0	32,5	77,3	60,2	47,8	15	32	25	253	30	120	15,92
8217R105	3/4" Fx 3/4" D	20	3/4"	3/4"	68,7	38,0	86,8	60,2	52,3	20	32	31	361	18	72	21,29
8217R005	3/4" Fx 1" D	20	3/4"	1"	69,2	38,0	86,6	60,2	52,8	20	38	31	370	18	72	20,19
8217R006	1" Fx 1 1/4" D	25	1"	1 1/4"	78,4	45,0	99,5	65,0	58,2	25	47	38	580	10	40	33,12

GP 2235
FUTURGAS



Male-Revolving nut ball angle valve for gas,
with yellow-painted aluminium Butterfly handle.




CODE	Size	A mm	A1	A2	B mm	C mm	D mm	E mm	F mm	DN mm	Ch1 mm	Ch2 mm	gr	Pack pcs/box	Master pcs/box	Price €
8218R004	1/2" Mx3/4"D	15	1/2"	3/4"	61,0	35,0	79,8	60,2	47,8	15	32	25	253	30	120	16,74
8218R105	3/4" Mx3/4"D	20	3/4"	3/4"	68,7	41,4	90,0	60,2	52,3	20	32	31	364	18	72	19,36
8218R005	3/4" Mx1"D	20	3/4"	1"	69,2	41,4	90,0	60,2	53,0	20	38	31	374	18	72	21,69
8218R006	1" Mx1" 1/4 D	25	1"	1" 1/4	78,4	47,5	102,0	65,0	58,2	25	47	38	580	10	40	34,12

GP 2235
FUTURGAS



Ball angle valve for gas nickel-plated, Female-Female fitting, with
pressure attachment, with yellow-painted aluminium Butterfly handle.




CODE	Size	A mm	B mm	C mm	D mm	E mm	F mm	DN mm	Ch1/2/3 mm	gr	Pack pcs/box	Master pcs/box	Price €
8219R005	3/4"	20	68,5	38,0	86,6	60,2	34,5	20	31/15/31	440	18	72	24,64
8219R006	1"	25	80,0	45,0	99,5	65,0	41,5	25	38/15/38	540	10	40	33,31

GP 2235
FUTURGAS



Ball angle valve for gas nickel-plated, Female-Female revolving nut fitting,
with pressure attachment, with yellow-painted aluminium Butterfly handle.



CODE	Size	A mm	A1	A2	B mm	C mm	D mm	E mm	F mm	DN mm	Ch1/2/3 mm	gr	Pack pcs/box	Master pcs/box	Price €
8220R005	3/4" x 1"	20	3/4"	1"	86,8	38,0	86,6	60,2	52,8	20	38/15/31	383	16	64	28,92
8220R006	1" x 1" 1/4	25	1"	1" 1/4	96,7	45,0	99,5	65,0	58,2	25	47/15/38	612	8	32	39,59